

banner

RB Retractable Banner Stands

product id	graphic width	graphic height	product weight
RB-100 - Econo	omy 33.5"	80"	4.63 LBS
RB-200 - Prem	ium 33.5"	80"	9.48 LBS
RB-300 - X Bai	nner 24"	71"	1.20 LBS

- -includes carrying case
- -premium weight and quality
- -RB-100 packed <u>six per box</u>
- -RB-200 packed <u>five per box</u>
- -RB-300 packed <u>twenty per box</u>

--











Model 108 Single Point Aluminum Rivet

product id	insert size	frame height	max sign thickness	additional info
108-241824	24" W x 18" H	24"	4mm	handle
108-242430	24" W x 24" H	30"	4mm	handle+clips
108-243242	24" W x 32" H	42"	8mm	
108-243642	24" W x 36" H	42"	8mm	
108-324854\$	32" W x 48" H	54"	8mm	side loading

- -one piece construction
- -ideal for indoor or outdoor advertising
- -designed to withstand all weather conditions
- -electrostatic powder coated black
- -packed <u>two per box</u>

—







product id	item p	c/box	wire thickness
SS1	10x30 regular duty	50	9 gauge
SS2	10x30 heavy duty	25	9 gauge/3 gauge base
SS3	10x24 regular duty	50	9 gauge
SS4	10x15 regular duty	100	9 gauge

-holds 4mm coroplast
thickness
-ideal for real estate,
election, and retail use
-ss1/ss2/ss4 galvanized
coating to prevent
rusting
-ss2 zinc coating for
extended usage
-heavy duty packaging

– all sales are final --





hardware

Included

with ALP-100

0

ALP-100 Aluminum Clean Upscale Design

metal

featured products

Included

with ALP-100


product id	colour	frame height	grommet distance
ALP-100W	white	64"	16"
ALP-100B	black	64"	16"


- -kit includes: hardware and ground stake
 - -2x3 aluminum rectangular post
 - -accommodates 30" wide sign and rider
 - -rider is attached and secured with thumb
 - screws and holes are not required
 - -rider holds all material types and thicknesses
 - -post is 64" tall with an arm length of 41"
 - -ground stake/hardware also sold separately
 - -electrostatic powder coated
 - -packed <u>one per box</u>

- all sales are final --



S O





Sold Seperately U-Clips and C-Clips

U-Clip

hardware

Model JD Heavy Duty Post Tube Construction

product id	arm size	frame height	gromme distance
JD26S	26"	80"	18"
JD26P	26"	80"	18"
JD33S	33"	80"	19"
JD33P	33"	80"	19"
JD38S	38"	80"	28"
JD38P	38"	80"	28"

- all sales are final --

- -tube construction, ideal for any weather conditions
- -clips to hold sign sold separately
- -side clips available (u-clips)
- -two piece construction
- -electrostatic powder coated black
- -pin top rider accommodates 4mm thickness maximum
- -scroll top accommodates multiple holes (top bar)
- -packed <u>two per box</u>



H100 board not included

H100 Aluminum + Plastic Hinge Handle





Ф	
0	
.	
_	

product id	handle width	material	box	
H100	12.5" long	aluminum	20 per box	
H200	11.5" long	plastic	100 per box	
H300	15" long	plastic	100 per box	


-aluminum: anti rust, holds any size board, strong in cold temperatures, powder coated -plastic: high strength composite polymer, economical, great for cold weather, contains steel rod in middle, two sizes available

→









snap frames

product id	graphic size	product colour	packed per box
SF-811	8.5" W x 11" H	silver	10/box
SF-1117	11" W x 17" H	silver	10/box
SF-2436	24" W x 36" H	silver	5/box
SF-2436B	24" W x 36" H	black	5/box

- -includes non-glare plastic cover
- -mounting hardware included
- -32mm profile
- -intended for .0625" (1/16) material thickness
- -indoor and outdoor use

—

all sales are final --







Model 1 One Piece Slide in System + Rider

product id	insert size	frame height	max sign thickness	rider size
1-241854	24" W x 18" H	54"	10mm	24" W x 6" H
1-242454	24" W x 24" H	54"	10mm	24" W x 6" H
1-243254	24" W x 32" H	54"	10mm	24" W x 6" H
1-243654	24" W x 36" H	54"	10mm	24" W x 6" H
1-322454	32" W x 24" H	54"	10mm	32" W x 6" H


- -one piece construction
- -no hardware required for assembly
- -top loading sign with slide in system
- -includes 6" high rider spot
- -electrostatic powder coated black
- -packed <u>two per box</u>


→

all sales are final --









(I)
0
E
Ø
_
4

Model 100 Two Piece Slide in System


product id	insert size	frame height	max sign thickness	
100-243254	24" W x 32" H	54"	10mm	
100-301854	30" W x 18" H	54"	10mm	
100-322454	32" W x 24" H	54"	10mm	

- -two piece construction
- -no hardware required for assembly
- -top loading sign with slide in system
- -electrostatic powder coated black
- -does not contain rider
- -packed <u>two per box</u>



RP-100: slides in from top

RP-100 Real Estate Frame





frame

S

product	graphic	frame	max sign
i d	size	height	thickness
RP-100	32" W x 24" H	54"	8mm

RPB-100 (base only) packed five per box

- -two piece construction
- -no hardware required for assembly
- -top loading sign with slide in system
- -accommodates two signs (facing each side)
- -electrostatic powder coated black
- -packed <u>two per box</u>





WS-100 Wind Spinner





frames

product graphic frame rid size height t

42"

18" W x 30" H

WS-100

max sign t thickness 8mm

-built with ball bearing for durability rotation

-electrostatic powder coated black

-packed <u>one per box</u>

 \rightarrow





BH100: Includes Hardcase

Display Frames





	(I)
(D)	0
Q	
S	P
•	
O	4

product id	graphic size	frame height	product weight
BH100	NA	59"	13 LBS
FS2228 Black	22" W x 28" H	61"	19LBS

- -Brochure holder: includes hard case. Aluminum and lightweight.
- -Floor stand: double-sided accepts posters and signs up to 3/16" thick.
- -compact box for shipping
- -indoor and outdoor use
- -packed <u>one per box</u>

 \rightarrow






SO Standoffs







stand

SO- standoffs stainless steel

STANDOFFS

product id	outside diameter x total height	pieces per box	weight capacity	
SO-1225	12mm x 25mm	10 per bag	5lbs	
SO-1630	16mm x 30mm	6 per bag	8lbs	
SO-1925	19mm x 25mm	6 per bag	15lbs	
SO-2525	25mm x 25mm	4 per bag	25lbs	

-made with stainless steel construction

- -1/2" maximum sign board thickness
- -suggested material: signs and glass
- -indoor and outdoor use

- all sales are final --